

# United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE           | FIRST NAMED INVENTOR    | ATTORNEY DOCKET NO. | CONFIRMATION NO. |  |
|-----------------|-----------------------|-------------------------|---------------------|------------------|--|
| 10/008,965      | 11/13/2001            | Thomas Basilio Genduso  | RPS920010086US1     | 3801             |  |
| 75              | 590 10/13/2004        |                         | EXAM                | INER             |  |
| Joseph P. Lally |                       |                         | PRASAD, CHANDRIKA   |                  |  |
| DEWAN & LA      | LLY, L.L.P.           |                         |                     | <u> </u>         |  |
| P.O. Box 684749 |                       |                         | ART UNIT            | PAPER NUMBER     |  |
| Austin, TX 78   | Austin, TX 78768-4749 |                         |                     | 2839             |  |
|                 |                       | DATE MAILED: 10/13/2004 |                     |                  |  |

Please find below and/or attached an Office communication concerning this application or proceeding.

|   | Application No.  | Applicant(s)   |  |  |  |  |
|---|--|--|--|--|--|--|
|   | 10/008,965   | GENDUSO ET AL.   |  |  |  |  |
| Office Action Summary   | Examiner   | Art Unit   |  |  |  |  |
| ·   | Chandrika Prasad   | 2839   |  |  |  |  |
| The MAILING DATE of this communication app<br>Period for Reply  | pears on the cover sheet with the c  | orrespondence address  |  |  |  |  |
| A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | 36(a). In no event, however, may a reply be tin<br>y within the statutory minimum of thirty (30) day<br>will apply and will expire SIX (6) MONTHS from<br>, cause the application to become ABANDONE                               | nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133). |  |  |  |  |
| Status  |  |  |  |  |  |  |
| 1)⊠ Responsive to communication(s) filed on 18 A  | uaust 2004   |  |  |  |  |  |
|   | action is non-final.   |  |  |  |  |  |
| 3) Since this application is in condition for allowa  | <i>,</i> —   |  |  |  |  |  |
| Disposition of Claims   |  |  |  |  |  |  |
| 4) ☐ Claim(s) 1-10 and 21-40 is/are pending in the 4a) Of the above claim(s) is/are withdray 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-10 and 21-40 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or Application Papers   | wn from consideration.  r election requirement.  |  |  |  |  |  |
| 9)☐ The specification is objected to by the Examiner.   |  |  |  |  |  |  |
| 10) The drawing(s) filed on is/are: a) acc  | ☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.   |  |  |  |  |  |
|   | Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  |  |  |  |  |  |
|   | Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. |  |  |  |  |  |
| Priority under 35 U.S.C. § 119  |  |  |  |  |  |  |
| 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a) All b) Some * c) None of:  1. Certified copies of the priority documents have been received.  2. Certified copies of the priority documents have been received in Application No  3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).  * See the attached detailed Office action for a list of the certified copies not received.   |  |  |  |  |  |  |
| Attachment(s)   | , <b>.</b>   |  |  |  |  |  |
| 1) Motice of References Cited (PTO-892) 2) Motice of Draftsperson's Patent Drawing Review (PTO-948)   | 4) 🔲 Interview Summary<br>Paper No(s)/Mail Da  |  |  |  |  |  |
| 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date  |  | atent Application (PTO-152)  |  |  |  |  |

Application/Control Number: 10/008,965 Page 2

Art Unit: 2839

#### **DETAILED ACTION**

#### Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 8/18/04 has been entered.

### Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 3. Claims 1-2, 21-22 and 31-32 are rejected under 35 U.S.C. 102(b) as being anticipated by Hansen (4,705,485).

Hansen (Figures 1-5) shows a connector assembly connectable at right angles to an adapter card having a cylindrical receptacle 7 with a plurality of evenly spaced contact structures 13 oriented along an axis parallel to a longitudinal axis of the receptacle and engaging a plurality of contact elements 2 wherein the receptacle contact structures and probe contact areas are configured to be connected to signals and interconnects. The receptacle contact structures are within an interior surface of a housing 9 and the probe contact areas are on an exterior surface of the probe. The

probe is rotatable within the receptacle from a first position when the contacts do not engage the contact structure. The probe can be slidingly rotated within the receptacle to a second position such that the contact elements engage the contact structure.

## Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. Claims 3, 23 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen (4,705,485).

Hansen (4,705,485) shows all the features of these claims as described in Paragraph 3 above except probe guide and notch. Official notice is given that these features are well known in the art of electrical connectors. It would have been obvious to one having ordinary skill in the art at the time of the instant invention to provide these features because these would provide a means to align the probe with the receptacle as is well known in the art.

6. Claims 4-5, 24-25 and 34-35 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen (4,705,485) in view of Cameron (4,217,019).

Hansen (4,705,485) shows all the features of these claims as describe in Paragraph 3 above except an iris mechanism. Such a mechanism is well known in the art as shown by Cameron (Figure 12). It would have been obvious to one having ordinary skill in the art at the time of the instant invention to provide these features

Application/Control Number: 10/008,965 Page 4

Art Unit: 2839

because these would provide a means to cover/protect the interior of the receptacle as taught by Cameron and well known in the art.

7. Claims 6-10, 26-30 and 36-40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hansen (4,705,485).

Hansen (4,705,485) shows all the features of these claims as describe in Paragraph 3 above except a prove cover and a locking mechanism. Official notice is given that these features are well known in the art of electrical connectors. It would have been obvious to one having ordinary skill in the art at the time of the instant invention to provide these features because these would provide a means to secure and protect the probe as is well known in the art.

## Double Patenting

8. Applicant is advised that should claims 1-10 be found allowable, claims 21-40 will be objected to under 37 CFR 1.75 as being a substantial duplicate thereof. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

Art Unit: 2839

# Response to Arguments

9. Applicant's arguments with respect to claims have been considered but are moot in view of the new ground(s) of rejection.

#### Conclusion

10. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Falossi et al. (5409403), Maurer et al. (5376206), Straus (3829814) and Carmichael (5820416) also read on all independent claims.

## **Contact Information**

11. Any correspondence to this action may be mailed to:

Commissioner for Patents Post Office Box 1450 Alexandria, VA 22313-1450

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chandrika Prasad whose telephone number is (571) 272-2099.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor can be reached at (571) 272-2800 ext 39. The fax number is (703) 872-9306.

Chandrika Prasad Primary examiner September 22, 2004